

## WEST Search History

DATE: Monday, August 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L5	L4 not L3	266
<input type="checkbox"/>	L4	L2 and (implant\$4 with mask\$3)	272
<input type="checkbox"/>	L3	L2 and titanium and (tantalum adj nitride)	91
<input type="checkbox"/>	L2	L1 and (overlap\$4 with gate)	707
<input type="checkbox"/>	L1	438/149,151,163,164,166,197,299,301.ccls.	3985

END OF SEARCH HISTORY

## WEST Search History

[Hide Items](#) | [Restore](#) | [Clear](#) | [Cancel](#)

DATE: Monday, August 29, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L2	TFT and (gate with first with conduct\$4) and (gate with second with conduct\$4) and (etch\$3 with select\$5) and (overlap\$5 with gate)	1017
<input type="checkbox"/>	L1	TFT and (titanium) and (tantalum adj nitride) and (SF6 or (sulfur adj hexafluoride))	7

END OF SEARCH HISTORY

## WEST Search History

[Hide Items](#) | [Restore](#) | [Clear](#) | [Cancel](#)

DATE: Monday, August 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L7	L6 and (etch\$4 with (taper\$4 or angl\$4 or inclin\$6))	511
<input type="checkbox"/>	L6	L4 or L5	984
<input type="checkbox"/>	L5	L3 and inclin\$7	86
<input type="checkbox"/>	L4	L3 and (taper\$4 or angl\$4)	968
<input type="checkbox"/>	L3	L2 and LDD	1425
<input type="checkbox"/>	L2	L1 and (titanium or Ti)	2394
<input type="checkbox"/>	L1	(gate with overlap\$5) and ((hot adj carrier\$1) or (drain with field))	6518

END OF SEARCH HISTORY

## Freeform Search

---

<b>Database:</b>	US Pre-Grant Publication Full-Text Database <b>US Patents Full-Text Database</b> US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
<b>Term:</b>	6872604.pn. and titanium
<b>Display:</b>	<input type="text" value="10"/> Documents in <b>Display Format:</b> <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/>
<b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

---

Search

Clear

Interrupt

---

### Search History

---

**DATE:** Monday, August 29, 2005  
 [Printable Copy](#)  
 [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side		
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L14</u> 6872604.pn. and titanium	1	<u>L14</u>
<i>DB=PGPB,USPT; PLUR=YES; OP=OR</i>		
<u>L13</u> 6706544.pn. and titanium	1	<u>L13</u>
<u>L12</u> 6596571.pn.	1	<u>L12</u>
<u>L11</u> 6933184.pn.	1	<u>L11</u>
<u>L10</u> L9 and (ion\$1 or implant\$5)	3	<u>L10</u>
<u>L9</u> L8 and etch\$5	3	<u>L9</u>
<u>L8</u> L1 and (titanium and (tantalum adj nitride))	3	<u>L8</u>
<u>L7</u> L5 and SF6	1	<u>L7</u>
<u>L6</u> L5 and (sulfur adj hexafluoride)	0	<u>L6</u>
<u>L5</u> L4 and (selectiv\$5 with etch\$6)	7	<u>L5</u>
<u>L4</u> L3 and (titanium and (tantalum adj nitride))	7	<u>L4</u>
<u>L3</u> L1 or L2	11	<u>L3</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>		
(20040140472 or 20030100151 or 20030062524 or 20030020118 or		

L2 20020163049 or 20020000576 or 20010055841 or 20010048408).pn.

8 L2

*DB=USPT; PLUR=YES; OP=OR*

L1 (6706544 or 6933184 or 6872604).pn.

3 L1

END OF SEARCH HISTORY

## WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Monday, August 29, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L2	L1 and (overlap\$4 or taper\$4).clm.	35
<input type="checkbox"/>	L1	438/163.ccls.	288

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(goldd&lt;in&gt;metadata)"

Your search matched 5 of 1227909 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set

Display Format:



Citation



Citation &amp; Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information



1. **Analysis of electrical characteristics of gate overlapped lightly doped drain (GOLDD) polysil transistors with different LDD doping concentration**  
 Bonfiglietti, A.; Cuscuna, M.; Valletta, A.; Mariucci, L.; Pecora, A.; Fortunato, G.; Brotherton, S.D.; /  
 Electron Devices, IEEE Transactions on  
 Volume 50, Issue 12, Dec. 2003 Page(s):2425 - 2433  
 Digital Object Identifier 10.1109/TED.2003.819250  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(672 KB\)](#) IEEE JNL



2. **Improved lifetime of poly-Si TFTs with a self-aligned gate-overlapped LDD structure**  
 Mishima, Y.; Ebiko, Y.;  
 Electron Devices, IEEE Transactions on  
 Volume 49, Issue 6, June 2002 Page(s):981 - 985  
 Digital Object Identifier 10.1109/TED.2002.1003716  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(234 KB\)](#) IEEE JNL



3. **Hot carrier-induced degradation of gate overlapped lightly doped drain (GOLDD) polysilicon**  
 Valletta, A.; Mariucci, L.; Fortunato, G.; Brotherton, S.D.; Ayres, J.R.;  
 Electron Devices, IEEE Transactions on  
 Volume 49, Issue 4, April 2002 Page(s):636 - 642  
 Digital Object Identifier 10.1109/16.992873  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(632 KB\)](#) IEEE JNL



4. **A new dopant activation technique for poly-Si TFTs with a self-aligned gate-overlapped LDD**  
 Ohgata, K.; Mishima, Y.; Sasaki, N.;  
 Electron Devices Meeting, 2000. IEDM Technical Digest. International  
 10-13 Dec. 2000 Page(s):205 - 208  
 Digital Object Identifier 10.1109/IEDM.2000.904293  
[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF



5. **A high speed and high reliability MOSFET utilizing an auxiliary gate**  
 Minami, M.; Sawahata, Y.; Matsuki, H.; Nagano, T.;  
 VLSI Technology, 1990. Digest of Technical Papers. 1990 Symposium on  
 4-7 June 1990 Page(s):41 - 42  
 Digital Object Identifier 10.1109/VLSIT.1990.110998  
[AbstractPlus](#) | Full Text: [PDF\(124 KB\)](#) IEEE CNF



[Help](#) [Contact Us](#) [Privacy](#)  
© Copyright 2005 IEEE




☐ Search Results

[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((tft &lt;and&gt; gate &lt;and&gt; overlap)&lt;in&gt;metadata)"

Your search matched 20 of 1227909 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set

Display Format:



Citation



Citation &amp; Abstract

» Key



Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information



1. **Gated-four-probe a-Si:H thin-film transistor structure**  
 Chun-Ying Chen; Chun-Sung Chiang; Kanicki, J.;  
 Device Research Conference Digest, 1997. 55th  
 23-25 June 1997 Page(s):52 - 53  
 Digital Object Identifier 10.1109/DRC.1997.612471  
[Abstract](#) | Full Text: [PDF](#)(160 KB) IEEE CNF



2. **Gate-overlapped lightly doped drain poly-Si thin-film transistors for large area-AMLCD**  
 Kwon-Young Choi; Jong-Wook Lee; Min-Koo Han;  
 Electron Devices, IEEE Transactions on  
 Volume 45, Issue 6, June 1998 Page(s):1272 - 1279  
 Digital Object Identifier 10.1109/16.678541  
[Abstract](#) | Full Text: [PDF](#)(276 KB) IEEE JNL



3. **A novel gate-overlapped LDD poly-Si thin-film transistor**  
 Kwon-Young Choi; Min-Koo Han;  
 Electron Device Letters, IEEE  
 Volume 17, Issue 12, Dec. 1996 Page(s):566 - 568  
 Digital Object Identifier 10.1109/55.545772  
[Abstract](#) | Full Text: [PDF](#)(232 KB) IEEE JNL



4. **A novel self-aligned gate-overlapped LDD poly-Si TFT with high reliability and performance**  
 Hatano, M.; Akimoto, H.; Sakai, T.;  
 Electron Devices Meeting, 1997. Technical Digest., International  
 7-10 Dec. 1997 Page(s):523 - 526  
 Digital Object Identifier 10.1109/IEDM.1997.650438  
[Abstract](#) | Full Text: [PDF](#)(464 KB) IEEE CNF



5. **A new dopant activation technique for poly-Si TFTs with a self-aligned gate-overlapped LDD**  
 Ohgata, K.; Mishima, Y.; Sasaki, N.;  
 Electron Devices Meeting, 2000. IEDM Technical Digest. International  
 10-13 Dec. 2000 Page(s):205 - 208  
 Digital Object Identifier 10.1109/IEDM.2000.904293  
[Abstract](#) | Full Text: [PDF](#)(220 KB) IEEE CNF



6. **A novel laser-processed self-aligned gate-overlapped LDD poly-Si TFT**  
 Ching-Wei Lin; Chang-Ho Tseng; Ting-Kuo Chang; Chiung-Wei Lin; Wen-Tung Wang; Huang-Chui

Electron Device Letters, IEEE  
Volume 23, Issue 3, March 2002 Page(s):133 - 135  
Digital Object Identifier 10.1109/55.988815  
[Abstract](#) | Full Text: [PDF](#)(205 KB) IEEE JNL

7. Improved lifetime of poly-Si TFTs with a self-aligned gate-overlapped LDD structure  
Mishima, Y.; Ebiko, Y.;  
Electron Devices, IEEE Transactions on  
Volume 49, Issue 6, June 2002 Page(s):981 - 985  
Digital Object Identifier 10.1109/TED.2002.1003716  
[Abstract](#) | Full Text: [PDF](#)(234 KB) IEEE JNL
8. Flicker noise in gate overlapped polycrystalline silicon thin-film transistors  
Rahal, M.; Lee, M.; Burdett, A.P.;  
Electron Devices, IEEE Transactions on  
Volume 49, Issue 2, Feb. 2002 Page(s):319 - 323  
Digital Object Identifier 10.1109/16.981224  
[Abstract](#) | Full Text: [PDF](#)(114 KB) IEEE JNL
9. Consideration of feed-through voltage in amorphous-Si TFT's  
Takabatake, M.; Tsumura, M.; Nagae, Y.;  
Electron Devices, IEEE Transactions on  
Volume 40, Issue 10, Oct. 1993 Page(s):1866 - 1870  
Digital Object Identifier 10.1109/16.277346  
[Abstract](#) | Full Text: [PDF](#)(444 KB) IEEE JNL
10. Analysis of electrical characteristics of gate overlapped lightly doped drain (GOLDD) polysil transistors with different LDD doping concentration  
Bonfiglietti, A.; Cuscuna, M.; Valletta, A.; Mariucci, L.; Pecora, A.; Fortunato, G.; Brotherton, S.D.;  
Electron Devices, IEEE Transactions on  
Volume 50, Issue 12, Dec. 2003 Page(s):2425 - 2433  
Digital Object Identifier 10.1109/TED.2003.819250  
[Abstract](#) | Full Text: [PDF](#)(672 KB) IEEE JNL
11. Modeling and parameter extraction of amorphous silicon thin-film-transistors for active-mat displays  
Troutman, R.R.; Libsch, F.R.;  
Electron Devices Meeting, 1990. Technical Digest., International  
9-12 Dec. 1990 Page(s):855 - 858  
Digital Object Identifier 10.1109/IEDM.1990.237028  
[Abstract](#) | Full Text: [PDF](#)(232 KB) IEEE CNF
12. Self-aligned bottom-gate submicrometer-channel-length a-Si:H thin-film transistors  
Busta, H.H.; Pogemiller, J.E.; Standley, R.W.; Mackenzie, K.D.;  
Electron Devices, IEEE Transactions on  
Volume 36, Issue 12, Dec. 1989 Page(s):2883 - 2888  
Digital Object Identifier 10.1109/16.40950  
[Abstract](#) | Full Text: [PDF](#)(548 KB) IEEE JNL
13. Importance of top insulator quality for the stability of a-Si thin film transistors  
Nakamura, T.; Yamada, T.; Takinami, M.; Suzuki, T.; Hamano, T.; Ozawa, T.; Tomiyama, S.; MacC R.; Fennell, L.; Tuan, H.; Thompson, M.;  
Electron Devices Meeting, 1988. Technical Digest., International  
11-14 Dec. 1988 Page(s):272 - 275  
Digital Object Identifier 10.1109/IEDM.1988.32809  
[Abstract](#) | Full Text: [PDF](#)(236 KB) IEEE CNF
14. Poly-Si TFTs with source overlap and drain offset structure

Jang, H.K.; Noh, S.J.;

Properties and Applications of Dielectric Materials, 1997., Proceedings of the 5th International Conference, Volume 1, 25-30 May 1997 Page(s):349 - 351 vol.1

Digital Object Identifier 10.1109/ICPADM.1997.617602

[Abstract](#) | Full Text: [PDF](#)(172 KB) IEEE CNF

**15. New split FET technique for measurements of source series resistance applied to amorphous transistors**

Globus, T.; Shur, M.; Byun, Y.; Hack, M.;

Electron Device Letters, IEEE

Volume 13, Issue 2, Feb. 1992 Page(s):108 - 110

Digital Object Identifier 10.1109/55.144974

[Abstract](#) | Full Text: [PDF](#)(216 KB) IEEE JNL

**16. Polysilicon thin film transistors with field-plate-induced drain junction for both high-voltage applications**

Huang, T.Y.; Wu, I.W.; Lewis, A.G.; Chiang, A.; Bruce, R.H.;

SOS/SOI Technology Conference, 1990., 1990 IEEE

2-4 Oct. 1990 Page(s):177 - 178

Digital Object Identifier 10.1109/SOSSOI.1990.145770

[Abstract](#) | Full Text: [PDF](#)(116 KB) IEEE CNF

**17. A 1148×3×800 dot 14-in. TFT color LCD with improved lateral field effect**

Nishiki, A.; Nomoto, T.; Abiko, I.; Kaminishi, K.;

Display Research Conference, 1991., Conference Record of the 1991 International

15-17 Oct. 1991 Page(s):239 - 242

Digital Object Identifier 10.1109/DISPL.1991.167479

[Abstract](#) | Full Text: [PDF](#)(220 KB) IEEE CNF

**18. A simpler 100-V polysilicon TFT with improved turn-on characteristics**

Huang, T.-Y.; Wu, I.-W.; Lewis, A.G.; Chiang, A.; Bruce, R.H.;

Electron Device Letters, IEEE

Volume 11, Issue 6, June 1990 Page(s):244 - 246

Digital Object Identifier 10.1109/55.55268

[Abstract](#) | Full Text: [PDF](#)(216 KB) IEEE JNL

**19. Comparisons of implant-through-contact and conventional high-voltage TFTs**

Huang, T.-Y.; Lewis, A.G.; Chiang, A.; Wu, I.-W.; Bruce, R.H.;

SOS/SOI Technology Workshop, 1988. Proceedings., 1988 IEEE

3-5 Oct. 1988 Page(s):38

Digital Object Identifier 10.1109/SOI.1988.95412

[Abstract](#) | Full Text: [PDF](#)(52 KB) IEEE CNF

**20. Modeling of amorphous-silicon thin-film transistors for circuit simulations with SPICE**

Khakzar, K.; Lueder, E.H.;

Electron Devices, IEEE Transactions on

Volume 39, Issue 6, June 1992 Page(s):1428 - 1434

Digital Object Identifier 10.1109/16.137323

[Abstract](#) | Full Text: [PDF](#)(416 KB) IEEE JNL



[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

Indexed by  
**Inspecc**